

## Ordering information

Aidian Oy: info@aidian.fi / 050 380 9684 / For orders: tilaukset@aidian.fi  
Aidian Sweden AB: info@aidian.se / 08 623 04 00 / For orders: order@aidian.se  
Aidian Norway AS: info@aidian.no / 066 78 56 30 / For orders: ordre@aidian.no  
Aidian Denmark ApS: info@aidian.dk / 08 610 3020 / For orders: order@aidian.dk

### Instrument read tests

QuikRead go® is a versatile point of care system used together with the ready-to-use tests for measuring concentration of e.g. CRP, CRP+Hb and for detecting Strep A. SD BIOSENSOR STANDARD™ F test system offers comprehensive respiratory pathogen portfolio for the detection of SARS-CoV-2, influenza, RSV, Strep A, *Legionella*, adenovirus and *Streptococcus pneumoniae*. Lucira™ system offers highly accurate, single-use handheld molecular near-to patient tests for detection of SARS-CoV-2 and influenza.

### Visually read tests

Wide range of visually read antigen tests for the detection of SARS-CoV-2, influenza, RSV, Strep A, *Legionella*, adenovirus, *Streptococcus pneumoniae*, infectious mononucleosis and *Mycoplasma pneumoniae*.

### Self-tests

Antigen and NAAT self-tests are available for the detection of SARS-CoV-2.

For more detailed information, please consult the instructions for use.

#### References

1. Finely CR, Chan DS, Garrison S, et al. What are the most common conditions in primary care? *Canadian Family Physician* 2018; 64, 832-840.
2. Markanday A. Acute Phase Reactants in Infections: Evidence-Based Review and a Guide for Clinicians. *Open Forum Infect Dis* 2015; 2(3): ofv098.
3. Little P et al. Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. *Lancet* 2013; 382(9899): 1175-1182.
4. Emery P. Evidence-based review of biologic markers as indicators of disease progression and remission in rheumatoid arthritis. *Rheumatol Int* 2007; 27(9): 793-806.
5. Centres for Disease Control and Prevention (CDC). Diseases & Conditions. Available at: <https://www.cdc.gov/DiseasesConditions/> Accessed: 3 September 2019.
6. Hall CB. Respiratory syncytial virus and parainfluenza virus. *N Engl J Med*. 2001;344(25):1917-28.
7. Falsey AR, Hennessey PA, Formica MA, Cox C, Walsh EE. Respiratory syncytial virus infection in elderly and high-risk adults. *N Engl J Med*. 2005;352(17):1749-59.
8. Reed C, Chaves SS, Kirley PD, et al. Estimating influenza disease burden from population-based surveillance data in the United States. *PLoS ONE* 2015;10:e0118369.
9. de Vries RD, Altenburg AF, Rimmelzwaan GF. Universal influenza vaccines: A realistic option? *Clinical Microbiology and Infection* 2016;22:S120-S4.
10. European Centre for Disease Prevention and Control (ECDC). Questions and answers on COVID-19: Basic facts. Available at: <https://www.ecdc.europa.eu/en/covid-19/questions-answers/questions-answers-basic-facts> Accessed: 9 February 2022
11. World Health Organization (WHO). Antigen-detection in the diagnosis of SARS-CoV-2 infection. Available at: <https://www.who.int/publications/i/item/antigen-detection-in-the-diagnosis-of-sars-cov-2-infection-using-rapid-immunoassays> Accessed: 9 February 2022
12. Centers for Disease Control and Prevention (CDC). Overview of Testing for SARS-CoV-2, the virus that causes COVID-19. Available at: <https://www.cdc.gov/coronavirus/2019-ncov/hcp/testing-overview.html> Accessed: 9 February 2022

**AIDIAN**

[www.aidian.eu](http://www.aidian.eu)


# Respiratory tract infections.

## Tools for the correct diagnosis



**AIDIAN**

# Rapid and simple diagnostic tests for respiratory tract infections.



Infections in respiratory tract are one of the most common reasons why people visit healthcare professionals<sup>1</sup>. However, as the symptoms and signs of influenza, COVID-19 and other respiratory infections somewhat overlap, the correct diagnosis of the infection is critical. A swift diagnosis ensures the right treatment and minimal spread of the infection. Correct diagnosis also reduces unnecessary antibiotic prescribing. Aidian offers a wide range of visually read and instrument read rapid tests for the detection of influenza, SARS-CoV-2 and other respiratory infections.

## C-reactive protein (CRP)

Accurate and rapid CRP point of care testing aids in the clinical management of patients with symptoms of infection. Measuring CRP increases diagnostic certainty, guides appropriate antibiotic prescribing and aids in ruling out severe bacterial infections<sup>2-4</sup>.

## Viruses

### Adenovirus

Adenovirus can cause illnesses from common cold to sore throat, but it can also cause pneumonia, acute gastroenteritis, and neurological diseases<sup>5</sup>. Adenovirus rapid tests help to identify the cause of the symptoms as the symptoms of respiratory adenoviral infection may be difficult to differentiate from other respiratory infections.

### Respiratory syncytial virus (RSV)

RSV is a leading cause of respiratory tract infections and it accounts for more than 60% of acute respiratory tract infection cases among young children<sup>6,7</sup>. RSV is often associated with high morbidity and mortality rates among children as well as the elderly and immunocompromised patients. As the symptoms are very similar to other viral infections, RSV rapid tests assist in detection of the cause of the illness.

### Infectious mononucleosis

Infectious mononucleosis is a contagious disease usually caused by Epstein-Barr virus (EBV) and it is common among teenagers and young adults<sup>5</sup>. With rapid mononucleosis test, EBV can easily be detected from whole blood, fingerstick whole blood, serum or plasma.

### Influenza

Influenza is one of the leading causes of acute respiratory infections<sup>8</sup>. Despite the seasonal vaccination against influenza, the infections represent a considerable public burden worldwide. This is due to continuous antigen changes in the surface glycoproteins of influenza virus, which reduce the effectiveness of vaccination<sup>9</sup>. Influenza rapid tests help to quickly differentiate the cause of the illness making it easier to treat the patients accurately.

### SARS-CoV-2

COVID-19, caused by SARS-CoV-2, is an infectious disease with symptoms ranging from mild to severe. Most people with SARS-CoV-2 infection experience mild to moderate respiratory illness and recover without a need for special treatment. However, COVID-19 can sometimes cause a severe disease requiring hospital or intensive care. Older people and those with underlying medical problems are more likely to develop serious illness. COVID-19 is transmitted easily, and rapid identification of infected persons aids in cutting transmission routes. Antigen tests for the detection of SARS-CoV-2 virus are fast and suitable also for screening testing.<sup>10-12</sup>

## Bacteria

### *Streptococcus pyogenes*

*S. pyogenes*, also called Strep A or GAS, is a significant cause of pharyngitis. Streptococcal pharyngitis is often difficult to distinguish from viral infection<sup>1</sup> and rapid tests offer fast and cost-effective way to detect Strep A infections accurately.

### *Legionella*

*Legionella* may cause a serious type of pneumonia. The bacteria can grow in freshwater systems and spread through small droplets. Less commonly people can get sick also by aspiration of drinking water containing *Legionella*.<sup>5</sup> Rapid test detects the *Legionella* antigens in urine specimens.

### *Mycoplasma pneumoniae*

*M. pneumoniae* is a bacterium that is causing usually mild but long-lasting infections of the respiratory system. The most common type of illness caused by *M. pneumoniae* is tracheobronchitis, but it can also cause pneumonia<sup>5</sup>. Mycoplasma rapid tests detect the *M. pneumoniae* immunoglobulin M (IgM) antibody in serum samples.

### *Streptococcus pneumoniae*

*S. pneumoniae* is often found in respiratory tract of healthy persons, especially the ones having school-aged children or persons in military settings<sup>5</sup>. Pneumonia, bacteremia and meningitis caused by *S. pneumoniae* most often occurs when predisposing condition exists.

# Respiratory tract infections.

## Tools for the correct diagnosis – Product list for the family brochure

### Instrument read tests

	Pack size	Product no.	Order no.
<b>QuikRead go</b>			
QuikRead go easy CRP	50 tests	153287	153287
QuikRead go wrCRP+Hb	50 tests	146255	146255
QuikRead go Strep A	50 tests	135883	135883
QuikRead go Instrument	1 pc	135867	135867
<b>SD Biosensor STANDARD F</b>			
STANDARD F COVID-19 Ag FIA	25 tests	10COV30D	155048
STANDARD F COVID/FLU Ag COMBO FIA	25 tests	10COV71D	155049
STANDARD F INFLUENZA A/B FIA	25 tests	10INF20D	155078
STANDARD F RSV FIA	25 tests	10RSV10D	155079
STANDARD F <i>S. pneumoniae</i> FIA	25 tests	10SPN10D	155080
STANDARD F <i>Legionella</i> Ag	25 tests	10LEG10D	155104
STANDARD F Adeno Respi Ag	25 tests	10ADE10D	155105
STANDARD F Strep A	25 tests	10STR10D	155112
STANDARD F COVID IgM/IgG COMBO	40 tests	10COV50G	155147
STANDARD F SARS-COV-2 nAB	20 tests	10COV80B	155144
STANDARD F200 Analyzer	1 pc	10FA20	155047
STANDARD F2400 Analyzer	1 pc	10FA24	155046
<b>Lucira</b>			
Lucira CHECK-IT COVID-19 Test Kit (NAAT)	1 test	LUC2000	155200
Lucira COVID-19 & Flu Test (NAAT)	1 test	LUC-13000-CA	155199

### Self-tests

	Pack size	Product no.	Order no.
<b>COVID-19</b>			
Biosynex COVID-19 AG BSS self-test	5 tests	859263	154992
Biosynex COVID-19 Ag BSS self-test	1 test	859258	154993
ECOTEST COVID-19 Ag pen self-test, nasal	1 test	COV-S35002H1	155083
ECOTEST COVID-19 Ag pen self-test, nasal	5 tests	COV-S35002H5	155076
Gensure COVID-19 Ag self-test	1 test	P2004	154847
Gensure COVID-19 Ag self-test	5 tests	P2004	154848
<b>Lucira</b>			
Lucira CHECK-IT COVID-19 test kit, NAAT self-test	1 test	SLUC-2000	155198

## Visually read tests

	Pack size	Product no.	Order no.
<b>SARS-CoV-2 Antigen</b>			
SD Biosensor STANDARD Q COVID-19 Ag, Nasopharyngeal	25 tests	09COV30D	154643
SD Biosensor STANDARD Q COVID19 Ag, Nasal	25 tests	09COV33D	154825
Gensure COVID-19 AG TEST, saliva/nasal	20 tests	P2004S	154800
Biosynex COVID-19 Ag BSS	25 tests	SW40006	154700
Biosynex Combo COVID-FLU Ag BSS	25 tests	SW40008	155010
Aidian LF SARS-CoV-2 Ag Test	20 tests	154980	154980
<b>Streptococcus pyogenes (Strep A)</b>			
Alltest Strep A Cassette test, blue	20 tests	ISTB-502	155073
Alltest Strep A Dipstick test, blue	25 tests	ISTB-501	155072
Biosynex Streptop A	20 tests	1030018	138886
<b>Influenza</b>			
Biosynex Influenzatop BSS	20 tests	SW40002	154480
Meridian ImmunoCard STAT! FLU A&B, 32 tests + PC	32 tests	782030	152990
CerTest Influenza A+B Combo Card, including control	20 tests	Z882001PC	149357
<b>Respiratory syncytial virus (RSV)</b>			
Acro RSV Rapid Test Cassette	20 tests	IRS-502	154593
Meridian TRU RSV	32 tests	751330	146192
CerTest RSV card with swabs, diluent and control	20 tests	RV820001PC	155189
<b>Infectious mononucleosis</b>			
Alltest Mono Rapid Test Cassette, including control	25 tests	IMO-402	155157
Biosynex Mono BSS	25 tests	SW40017	155156
<b>Streptococcus pneumoniae</b>			
Biosynex <i>S.pneumoniae</i>	20 tests	1030002	149876
CerTest <i>S. pneumoniae</i> including control	20 tests	SN820201PC	151593
<b>Legionella</b>			
CerTest <i>Legionella</i> Card, including control	20 tests	LP820201PC	151592
Biosynex <i>Legionella</i>	20 tests	1030001	149877
Meridian TRU <i>Legionella</i>	30 tests	751930	146195
<b>Adenovirus</b>			
CerTest Adeno Resp. Card, including control	20 tests	AP820001PC	151589
<b>Mycoplasma pneumoniae</b>			
Meridian ImmunoCard Mycoplasma	30 tests	709030	146186
HISS ImmunoFLOW <i>Mycoplasma pneumoniae</i> IgM	25 tests	7005	141136
<b>Combo tests</b>			
CerTest Influenza A+B/RSV/Adeno Resp. quad card,	20 tests	ZV862001P	146245
CerTest <i>S. pneumoniae</i> + <i>Legionella</i> Combo card, including control	20 tests	NL882201PC	151594
CerTest RSV+Adenovirus Resp. combo card with swabs, diluent and control	20 tests	VR882001PC	155190
CerTest SARS-COV-2/FLU A+B/RSV quadr. card with swabs, vials and control	20 tests	SV862001PC	155191

## Ordering information

Aidian Norway AS  
 info@aidian.no / 066 78 56 30 / www.aidian.no  
 For orders: ordre@aidian.no